

3M Fall Protection

3M™ Protecta® Comfort Construction Style Positioning Harness

Spesifikasi:

- Standar ANSI Z359.11; OSHA 1910.140 dan 1926.502
- Specifically designed for added comfort



1161205

3M™ DBI-SALA® Delta™ Vest-Style Tower Climbing Harness

Spesifikasi:

- ANSI A10.32, ANSI Z359.1, ANSI Z359.3, ANSI Z359.4, OSHA 1910.66, OSHA 1926.502
- Front D-ring
- Body belt/hip pad with side D-rings



1107777

3M™ DBI-SALA® ExoFit STRATA™ Tower Climbing Harness

Spesifikasi:

- ANSI Z359.1, ANSI Z359.11, OSHA 1910.66, OSHA 1926.502
- Weight distribution system



1112586

3M™ DBI-SALA® ExoFit™ Tower Climbing Harness

Spesifikasi:

- Standar ANSI Z359.1, ANSI Z359.3, OSHA 1910.66, OSHA 1926.502
- Built-in shoulder, back and leg comfort padding



1108652

3M™ Protecta® Vest-Style Climbing Harness

Spesifikasi:

- OSHA 1910.140, OSHA 1926.502
- OSHA-compliant auto-resetting lanyard keepers for fast and easy parking of snap hooks and carabiners



1161554

3M™ DBI-SALA® Delta™ Construction Style Positioning Harness

Spesifikasi:

- ANSI Z359.1, ANSI Z359.3, OSHA 1910.66, OSHA 1926.502
- Body belt/hip pad with side D-rings
- Tongue buckle leg straps



1101654

3M™ DBI-SALA® ExoFit NEX™ Rope Access/Rescue Harness

Spesifikasi:

- ANSI A10.32, ANSI Z359.1, ANSI Z359.3, ANSI Z359.4, NFPA 1983, NFPA 1983-06, OSHA 1910.66, OSHA 1926.502
- Hybrid shoulder, back and leg comfort padding



1113345

3M™ DBI-SALA® ExoFit NEX™ Rope Access/Rescue Harness

Spesifikasi:

- ANSI A10.32, ANSI Z359.1, ANSI Z359.3, ANSI Z359.4, NFPA 1983, NFPA 1983-06, OSHA 1910.66, OSHA 1926.502
- Hybrid shoulder, back and leg comfort padding



1113346

3M™ DBI-SALA® EZ-Stop™ Shock Absorbing Lanyard



1246011

Spesifikasi:

- Extremely compact and lightweight
- Exclusive Vectran™ energy absorption system
- Repel™ webbing

3M™ DBI-SALA® ShockWave™ 2 Shock Absorbing Lanyard



1244306

Spesifikasi:

- Stretches in reaction to your movements
- Abrasion resistant polyester tubular webbing
- User friendly self locking snap hooks at each end

3M™ PROTECTA® PRO™ Pack Elastic 100% Tie-Off Shock Absorbing Lanyard



1342125

Spesifikasi:

- Stretches in reaction to your movements
- Lightweight user friendly design
- PVC shock pack with protected label

3M™ PROTECTA® Rebel™ Self Retracting Lifeline



3100400

Spesifikasi:

- Swiveling anchorage loop
- Self-locking snap hook on lifeline
- Compact, lightweight design

3M™ DBI-SALA® Ultra-Lok™ Self Retracting Lifeline



3504450

Spesifikasi:

- Rugged and extremely lightweight thermoplastic housing
- Semi-sealed design 50 ft. (15.2m) galvanized steel cable lifeline
- Stainless steel dynamic components

3M™ DBI-SALA® Nano-Lok™ Edge Twin-Leg Quick Connect Self Retracting Lifeline



3500231

Spesifikasi:

- Designed for foot-level tie-off and sharp edge applications
- Twin-leg 100% tie-off design
- Built-in connector for twin-leg SRL direct attachment to harness

3M™ DBI-SALA® Rollgliss™ R550 Rescue and Descent Device



3327100

Spesifikasi:

- Emergency rescue and evacuation from a wide variety of elevated work areas
- Fully automatic controlled descent
- Bidirectional design enables multiple rescues
- Built-in rescue lifting wheel

3M™ DBI-SALA® Self-Rescue



3320030

Spesifikasi:

- Universal harness attachment
- EZ-Link™ D-ring for fast connections
- Assisted-rescue ring for incapacitated user

3M™ DBI-SALA® Rollgliss™ Descender, Sloped/ Automatic Retract



3303019

Spesifikasi:

- Emergency rescue and evacuation from a wide variety of elevated work areas
- Fully automatic controlled descent for sloped applications
- Automatic retraction allows multiple evacuations

3M™ DBI-SALA® Aluminum Tripod with Salalift™ II Winch



8300032

Spesifikasi:

- Telescoping adjustable locking legs
- Built-in pulley system
- Specialized safety shoes and leg support chain

3M™ DBI-SALA® Confined Space Davit Arm



8516693

Spesifikasi:

- Davit arm for portable fall arrest post
- Adjustable offset upper davit mast (model 8518001)
- Built-in primary and secondary pulleys
- Quick mount winch/SRL bracket

3M™ DBI-SALA® Salalift™ II Winch



8102001

Spesifikasi:

- Manually operated winch
- 60 ft. (18 m) of 1/4 in. (6.3 mm) galvanized steel wire rope
- 6:1 gear ratio mechanical advantage
- Quick mount bracket

3M™ DBI-SALA® SecuraSpan™ I-Beam Horizontal Lifeline System



7400460

Spesifikasi:

- Complete 60 ft. (18.3 m) system includes two stanchions and cable assembly
- Lightweight and portable design


3M™ DBI-SALA® Beam Trolley



2103143

Spesifikasi:

- Complete hands-free horizontal mobility
- Ideal for use with self retracting lifeline
- Easy to use dual adjustment dials



8518000

3M™ DBI-SALA® Confined Space 5-Piece Davit Hoist System

Spesifikasi:

- 5-piece davit hoist system
- Fall arrest rated in all davit offset mast positions
- Adjustable offset upper davit mast (model 8518001)