





PERSONAL FLOTATION TECHNICAL DATASHEET

	BRAND NAME:	Imperial
	DESCRIPTION:	280RT, 285RT Vinyl Dipped Work Vests
	PRODUCT FEATURES AND NOTES:	• USCG Type V Approval 160.053/115/0 • USCG approved / OSHA compliant adult work vest • International Safety Orange color • Polyvinyl Chloride (PVC) closed cell foam buoyancy • Delrin plastic buckles closure • One 1" encircling belt and one 1" chest strap • 17.5 square inches of SOLAS-grade reflective tape • Adjustable chest and shoulder straps • Rugged, durable, vinyl-dipped PFD for industrial applications • Acrylic layer sealant over PVC coating resists deterioration • Flotation foam retains buoyancy even when punctured • Open slot on back accommodates most safety harnesses • Contoured foam panels for greater range of movement --- Box/case package dims/weight/unit qty by PFD origin: --- • 280RT Mexico: 27x16x16", 12 lbs, qty of 5 units enclosed • 280RT China: 36x23x15", 24 lbs, qty of 10 units enclosed • 285RT Mexico: 27x16x16", 12 lbs, qty of 5 units enclosed • 285RT China: 36x23x15", 24 lbs, qty of 10 units enclosed

SPECIFICATIONS

WORK VEST SIZE	DIMENSIONS (LxWxH)	UPC-A BARCODE	UNIT WEIGHT	PRODUCT #	COUNTRY OF ORIGIN	WEARER WEIGHT	WEARER CHEST SIZE	MINIMUM BUOYANCY
280RT (NAFTA)	3.5x11.5x23"	Call for UPC	1.15 lbs	65-280RT-USA	Mexico	>90 lbs	32-54"	17.5 lbs (78N)
280RT	3.5x11.5x23"	098198501966	1.15 lbs	65-280RT-001	China	>90 lbs	32-54"	17.5 lbs (78N)
285RT (NAFTA)	3.5x11.5x23"	Call for UPC	1.15 lbs	65-285RT-USA	Mexico	>90 lbs	32-54"	17.5 lbs (78N)
285RT	3.5x11.5x23"	098198502789	1.15 lbs	65-285RT-001	China	>90 lbs	32-54"	17.5 lbs (78N)



Survitec Group

Survitec Survival Products, Inc.
1420 Wolf Creek Trail, PO Box 545, Sharon Center, OH 44274
Tel: 330-239-4331 / Fax 330-239-3671 / Email: sharoncenter.sales@survitecgroup.com

www.survitecgroup.com

160RT/161RT TYPE I

Type I Ferry Boat PFD

- Designed to turn an unconscious person face-up
 - Reversible yoke-style flotation device
 - 22 lb. of buoyancy
 - 110 Square inches of SOLAS-grade reflective tape
 - Stackable for easy storage
 - Light loop and whistle attachments
- 160RT: Commercial Adult: Over 90 lbs.

198RT/199RT TYPE I

Type I Offshore PFD

- The most comfortable type I PFD on the market
 - 24 lbs. of buoyancy
 - Reversible design
 - 126 Square inches of SOLAS-grade reflective tape
 - Weather and fade-resistant polyester
 - Light loop and whistle attachment over shoulder
 - Strongest stainless steel hardware available
- 198RT: Commercial Adult: Over 90 lbs.
199RT: Commercial Child: Under 90 lbs.

HASSOCK BAGS

1024

- Four 160RT type I PFDs loaded in a Hassock Bag
- Dimensions: 22"L x 12"W x 13"H



160/161RT
Ferry Boat PFD



198RT/199RT
Offshore PFD



Type I (160RT) PFDs in
Hassock Bag



UNIVERSAL LIGHT

LIFEJACKET LIGHT



The universal light is one of the only lights available to date that can accommodate both surface and recess mounting solutions effectively. The light can be attached to a point on the jacket to become a surface light or placed into a circular housing unit which is permanently recessed in the lifejacket.

When recess mounts are used the light has an extremely low profile and is non-intrusive. Once expired the light is easily replaced. If purchasing the recessed mounting option the light is supplied with two brackets allowing swap-out of both Crewsaver and non-Crewsaver light options.

Additionally, the light can be purchased with either an attached cable and water activated sensor or without cable and integrated sensor. The integrated sensor option will flash automatically once fully immersed in water where as the cable with sensor option will flash only on constant contact with water.

FEATURES

- **ACTIVATES ON CONTACT WITH WATER OR MANUALLY**
- **FLASHING LED LIGHT**
- **SOLAS, MED AND USCG APPROVED**
- **MINIMUM 8 HOURS LIGHT DURATION**
- **MAXIMUM 5 YEAR STORAGE LIFE**



This flashing light meets all relevant safety standards to keep you visible in the worst of scenarios



PERSONAL FLOTATION TECHNICAL DATASHEET

	BRAND NAME:	Imperial
	DESCRIPTION:	Life Ring Buoy
	PRODUCT FEATURES AND NOTES:	• Made of high-impact linear low-density polyethylene • Molded-in rope holes • Easily replaceable 3/8" UV-resistant polypropylene rope • SOLAS grade reflective tape (except on Domestic version) --- Box/case package dims/weight/unit qty by model: --- • Deck: 32x32x24", 35 lbs, qty of 6 units enclosed • Bridge: 32x32x24", 35 lbs, qty of 6 units enclosed • Domestic: 32x32x24", 35 lbs, qty of 6 units enclosed • 24" Life Ring: 25x25x24", 28 lbs, qty of 6 units enclosed

SPECIFICATIONS								
PRODUCT NAME	DIMENSIONS (LxWxH)	UPC-A BARCODE	UNIT WEIGHT	PRODUCT #	COUNTRY OF ORIGIN	MINIMUM BUOYANCY	APPROVAL #	
30" Bridge Type	30x30x4"	812713010937	6 lbs	10-RB3040S	China	16.5 lbs	160.050/172/0	
30" Deck Type	30x30x4"	812713010944	6 lbs	10-RB3025S	China	16.5 lbs	160.050/172/0	
30" Domestic Type	30x30x4"	812713010951	6 lbs	10-RB3025D	China	16.5 lbs	160.050/154/0	
24" Orange	24x24x4"	812713010968	4 lbs	10-RB24D	China	16.5 lbs	160.050/172/0	



Survitec Group

Survitec Survival Products, Inc.
1420 Wolf Creek Trail, PO Box 545, Sharon Center, OH 44274
Tel: 330-239-4331 / Fax 330-239-3671 / Email: sharoncenter.sales@survitecgroup.com
www.survitecgroup.com



BRAND NAME:	Imperial
PART NUMBER:	61-198RT-001 (Made In China)
PRODUCT DESCRIPTION:	198RT Offshore PFD
CATEGORY IN CATALOG:	Personal Flotation

UNIT APPROXIMATE SPECIFICATIONS

DEPTH:	6 inches
WIDTH:	15 inches
HEIGHT:	19 inches
GROSS WEIGHT:	1.4 pounds
NET WEIGHT:	1.4 pounds
NOTES:	

UNIT POINT-OF-PURCHASE INFORMATION

BAR CODE TYPE:	UPC-A
BAR CODE #:	098198363069 (China)

PRODUCT FEATURES AND DETAILS

- Adult Universal Size: weight of more than 90 pounds
- USCG Type I Approval 160.055/153/0
- Min. Buoyancy: 24 lbs (107N)
- Color: International Safety Orange
- Foam: PE (Polyethylene)
- Closure: 1" stainless steel snaphook and d-ring on a 1" neck strap, two 1" encircling straps and one 1" neck strap
- 126 square inches of SOLAS-grade reflective tape
- Reversible design for quick donning
- Weather- and fade-resistant polyester
- Light loop and whistle attachment over shoulder
- Case (China Import): 32" x 21" x 21" package dimensions, 17 lbs box weight, quantity of 8 units enclosed

WEBSITE: www.survitecgroup.com

YOUR SURVIVAL. OUR TECHNOLOGY.



11070 Cabot Commerce Circle, Building 3, Suite 100 | Jacksonville, FL 32226 USA
Tel: +1 904 562 5900 | Fax: +1 904 562 5900 | Email: jacksonville.sales@survitecgroup.com

SCDS0007A REV12112014